

6 平成16年結核管理図(指標値)

|        |        | 全国                              | 福岡県<br>(政令市含む) | 北九州市  | 福岡市   | 大牟田市  | 筑紫    | 粕屋    | 宗像     | 朝倉    | 糸島     | 遠賀     | 鞍手    | 嘉穂     | 田川    | 久留米    | 八女    | 山門     | 京築    |       |
|--------|--------|---------------------------------|----------------|-------|-------|-------|-------|-------|--------|-------|--------|--------|-------|--------|-------|--------|-------|--------|-------|-------|
| まん延状況  | 1      | 全結核罹患率(10万対)                    | 23.29          | 25.60 | 27.80 | 24.22 | 23.32 | 22.20 | 26.19  | 16.00 | 14.01  | 21.41  | 25.55 | 32.81  | 47.06 | 23.84  | 22.07 | 32.41  | 35.20 | 20.13 |
|        | 2      | 菌陽性肺結核罹患率(10万対)                 | 13.10          | 13.29 | 17.10 | 12.94 | 12.79 | 11.34 | 12.32  | 7.33  | 7.54   | 7.14   | 12.43 | 12.09  | 15.86 | 10.52  | 11.36 | 11.98  | 21.79 | 13.42 |
|        | 3      | 喀痰塗抹陽性肺結核罹患率(10万対)              | 8.96           | 9.57  | 11.20 | 9.27  | 10.53 | 7.48  | 8.47   | 6.00  | 5.39   | 4.08   | 8.29  | 6.04   | 11.76 | 9.11   | 9.64  | 11.98  | 17.60 | 10.32 |
|        | 4      | 全結核有病率(10万対)                    | 21.10          | 25.05 | 24.90 | 25.81 | 29.34 | 20.27 | 25.03  | 15.33 | 10.78  | 22.43  | 26.24 | 25.90  | 36.32 | 27.34  | 24.22 | 34.52  | 25.14 | 23.74 |
|        | (参考)   | 結核死亡率(10万対)                     | 1.82           | 1.82  | 1.90  | 1.01  | 3.01  | 2.65  | 0.39   | 0.67  | 3.23   | 3.06   | 2.07  | 4.32   | 3.07  | 2.10   | 2.57  | 2.11   | 1.68  | 1.03  |
| マル初    | (参考)   | マル初罹患率(10万対)                    | 4.53           | 5.40  | 1.70  | 7.33  | 4.51  | 3.38  | 12.32  | 6.00  | 5.39   | 2.04   | 2.76  | 5.18   | 8.18  | 6.31   | 7.29  | 5.64   | 4.19  | 2.06  |
| 年齢の偏り  | 5      | 新登録中30~59歳割合(%)                 | 30.52          | 29.88 | 30.58 | 37.09 | 19.36 | 35.87 | 33.82  | 37.50 | 7.69   | 28.57  | 32.43 | 42.11  | 17.39 | 17.65  | 20.39 | 17.39  | 23.81 | 25.64 |
|        | 6      | 新登録中60歳以上割合(%)                  | 59.57          | 62.08 | 64.03 | 48.66 | 77.42 | 59.78 | 58.82  | 50.00 | 92.31  | 66.67  | 59.46 | 50.00  | 73.91 | 82.35  | 72.82 | 80.44  | 69.05 | 69.23 |
| 肺外結核   | 7      | 新登録中肺外結核割合(%)                   | 19.86          | 21.93 | 21.94 | 14.84 | 16.13 | 22.83 | 19.12  | 20.83 | 38.46  | 28.57  | 24.32 | 39.47  | 32.61 | 26.47  | 25.24 | 30.44  | 19.05 | 17.95 |
| 発見の遅れ  | 8      | 発病~初診2ヶ月以上割合(%)                 | 18.79          | 19.70 | 14.86 | 27.54 | 16.67 | 19.51 | 11.11  | 18.18 | 0.00   | 0.00   | 38.10 | 0.00   | 8.33  | 20.00  | 21.82 | 6.67   | 16.67 | 5.26  |
|        | 9      | 初診~登録1ヶ月以上割合(%)                 | 24.97          | 22.18 | 19.35 | 32.67 | 0.00  | 16.67 | 12.00  | 16.67 | 25.00  | 22.22  | 47.62 | 9.09   | 6.98  | 12.50  | 27.87 | 18.75  | 38.46 | 5.00  |
|        | 10     | 発病~登録3ヶ月以上割合(%)                 | 20.25          | 22.94 | 16.22 | 32.61 | 0.00  | 24.39 | 11.11  | 18.18 | 0.00   | 0.00   | 52.38 | 0.00   | 8.33  | 26.67  | 23.64 | 6.67   | 25.00 | 5.26  |
| 発見方法   | 11     | 新登録肺結核中医療機関受診発見割合(%)            | 76.11          | 70.62 | 64.98 | 67.60 | 50.00 | 64.79 | 70.91  | 57.90 | 100.00 | 80.00  | 78.57 | 65.22  | 77.42 | 80.00  | 81.82 | 84.38  | 85.29 | 81.25 |
| 診断     | (1) 12 | 新登録肺結核中菌陽性割合(%)                 | 70.17          | 66.47 | 78.80 | 62.72 | 65.39 | 66.20 | 58.18  | 57.90 | 87.50  | 46.67  | 64.29 | 60.87  | 50.00 | 60.00  | 68.83 | 53.13  | 76.47 | 81.25 |
|        | 13     | 新登録肺結核中喀痰塗抹陽性割合(%)              | 48.03          | 47.87 | 51.61 | 44.95 | 53.85 | 43.66 | 40.00  | 47.37 | 62.50  | 26.67  | 42.86 | 30.44  | 37.10 | 52.00  | 58.44 | 53.13  | 61.77 | 62.50 |
|        | (2) 14 | 新登録肺結核中再治療割合(%)                 | 8.41           | 9.50  | 6.91  | 14.63 | 3.85  | 8.45  | 7.27   | 10.53 | 12.50  | 13.33  | 10.71 | 13.04  | 9.68  | 4.00   | 1.30  | 9.38   | 2.94  | 15.63 |
| 治療     | (1) 15 | 新登録肺結核喀痰塗抹陽性初回治療中Z含む4剤処方割合(%)   | 61.60          | 62.87 | 72.12 | 77.98 | 42.86 | 68.97 | 70.00  | 57.14 | 60.00  | 66.67  | 50.00 | 33.33  | 50.00 | 69.23  | 47.73 | 43.75  | 0.00  | 75.00 |
|        | (2) 16 | 年末活動性肺結核中HRを含まない処方割合(%)         | 13.72          | 12.45 | 10.05 | 12.10 | 6.67  | 7.46  | 18.52  | 5.56  | 28.57  | 6.67   | 22.22 | 0.00   | 12.25 | 9.38   | 20.00 | 10.53  | 16.00 | 18.92 |
|        | 17     | 年末活動性肺結核中H単独処方割合(%)             | 0.91           | 0.88  | 1.51  | 0.32  | 3.33  | 0.00  | 3.70   | 0.00  | 0.00   | 0.00   | 3.70  | 0.00   | 0.00  | 0.00   | 1.11  | 0.00   | 0.00  | 0.00  |
|        | 18     | 平均全結核治療期間(月)                    | 10.87          | 11.74 | 10.75 | 12.78 | 15.10 | 10.96 | 11.47  | 11.50 | 9.23   | 12.57  | 12.32 | 9.47   | 9.26  | 13.77  | 13.17 | 12.78  | 8.57  | 14.15 |
|        | 19     | 年末活動性全結核中2年以上治療割合(%)            | 6.20           | 6.47  | 8.03  | 5.85  | 7.69  | 4.76  | 6.15   | 4.35  | 10.00  | 0.00   | 10.53 | 3.33   | 2.82  | 15.39  | 7.97  | 4.08   | 3.33  | 6.52  |
|        | (3) 20 | 肺結核喀痰塗抹陽性初回治療コホート中情報不明割合(%)     | 16.88          | 17.67 | 0.00  | 23.38 | 28.00 | 5.88  | 82.35  | 0.00  | 12.50  | 33.33  | 0.00  | 20.00  | 0.00  | 35.71  | 8.00  | 100.00 | ---   | 0.00  |
|        | 21     | 肺結核喀痰塗抹陽性初回治療コホート中治療成功割合(%)     | 78.63          | 80.16 | 75.00 | 82.72 | 94.44 | 87.50 | 100.00 | 85.71 | 85.71  | 75.00  | 76.92 | 62.50  | 68.42 | 100.00 | 76.09 | ---    | ---   | 85.71 |
|        | 22     | 肺結核喀痰塗抹陽性初回治療コホート中死亡割合(%)       | 12.09          | 11.68 | 21.00 | 8.64  | 0.00  | 6.25  | 0.00   | 0.00  | 0.00   | 25.00  | 7.69  | 0.00   | 31.58 | 0.00   | 6.52  | ---    | ---   | 14.29 |
|        | 23     | 肺結核喀痰塗抹陽性初回治療コホート中治療失敗脱落中断割合(%) | 6.05           | 5.98  | 4.00  | 4.94  | 5.56  | 3.13  | 0.00   | 0.00  | 14.29  | 0.00   | 15.39 | 25.00  | 0.00  | 0.00   | 15.22 | ---    | ---   | 0.00  |
|        | 入院     | (1) 24                          | 平均肺結核入院期間(月)   | 4.47  | 5.07  | 4.72  | 5.84  | 8.35  | 3.25   | 6.60  | 6.00   | 3.00   | 2.18  | 1.60   | 2.40  | 5.36   | 6.00  | 4.52   | 7.56  | 2.48  |
| (2) 25 |        | 新登録肺結核菌陽性中登録時入院割合(%)            | 77.01          | 85.42 | 78.95 | 80.56 | 94.12 | 89.36 | 90.63  | 90.91 | 100.00 | 100.00 | 66.67 | 92.86  | 90.32 | 100.00 | 98.11 | 100.00 | 88.46 | 88.46 |
| 26     |        | 新登録肺結核菌陰性他中登録時入院割合(%)           | 33.71          | 47.20 | 32.61 | 39.25 | 77.78 | 25.00 | 47.83  | 25.00 | 100.00 | 50.00  | 30.00 | 77.78  | 61.29 | 70.00  | 70.83 | 66.67  | 75.00 | 50.00 |
| 患者情報管理 | (1) 27 | 新登録肺結核有症状者中発見の遅れ情報不明割合(%)       | 11.85          | 21.29 | 40.32 | 8.00  | 68.42 | 2.38  | 28.00  | 8.33  | 0.00   | 0.00   | 0.00  | 100.00 | 44.19 | 6.25   | 9.84  | 6.25   | 14.29 | 5.00  |
|        | 28     | 新登録肺結核中培養等検査結果未把握割合(%)          | 46.83          | 48.86 | 41.94 | 47.04 | 46.15 | 45.07 | 78.18  | 57.90 | 37.50  | 73.33  | 75.00 | 30.44  | 43.55 | 64.00  | 41.56 | 87.50  | 32.35 | 43.75 |
|        | (2) 29 | 年末総登録中病状不明割合(%)                 | 16.99          | 18.91 | 15.84 | 12.27 | 6.67  | 18.99 | 4.43   | 8.96  | 26.83  | 4.76   | 31.31 | 26.04  | 18.44 | 71.61  | 30.56 | 10.89  | 6.49  | 14.29 |
|        | (3) 30 | 年末活動性肺結核中医療なし割合(%)              | 2.04           | 2.55  | 1.01  | 4.14  | 0.00  | 1.49  | 1.85   | 0.00  | 0.00   | 0.00   | 3.70  | 0.00   | 0.00  | 0.00   | 3.33  | 0.00   | 0.00  | 13.51 |
|        | (4) 31 | 年末総登録中3年以上登録割合(%)               | 12.45          | 12.84 | 11.36 | 13.77 | 12.38 | 10.13 | 10.13  | 8.96  | 12.20  | 2.38   | 15.15 | 16.67  | 7.26  | 27.74  | 16.62 | 7.92   | 9.09  | 9.18  |
| その他    | 32     | 年末活動性全結核中生活保護割合(%)              | 8.38           | 9.31  | 7.63  | 13.93 | 10.26 | 3.57  | 9.23   | 0.00  | 10.00  | 0.00   | 10.53 | 10.00  | 9.86  | 25.64  | 4.43  | 2.04   | 10.00 | 4.35  |